

RENOVATION
Wranglers
Architects

Owner: Renovation Wranglers
102 E 26th St
Bryan, TX 77803
Katherine@rwa.com | 979.450.9969


ARCHITECTURE
Architect of Record: LKB Architecture
2929 Allen Pkwy Suite 200
Houston, TX 77019
isa@lkbarchitecture.com | 713.425.3076

DUDDLEY
Structural: Dudley
6102 Imperial Loop Drive
College Station, TX 77845
(979) 777-0720


amc
ENGINEERS

MEP: AMC Engineers
508 E Jackson St # 552
Burnet, TX 78611
info@amcengineers.com


This project, like most OpeningDesign's projects, is open source (Attribution-ShareAlike 4.0 International-CC BY-SA 4.0)-freely available to any party for future use, assuming the terms such as Attribution and ShareAlike are honored.




2D ADA - TYPE A - WATER CLOSET - FRONT
1/2" = 1'-0"




3D ADA - TYPE A - WATER CLOSET - SIDE
1/2" = 1'-0"




4D ADA - TYPE A - WATER CLOSET - FLOOR PLAN (OR TYPE B FRONT APPROACH)
1/2" = 1'-0"




5D ADA - TYPE A - LAVATORY - SIDE (OR TYPE B FRONT APPROACH)
1/2" = 1'-0"




6D ADA - TYPE A - LAVATORY - FRONT (OR TYPE B FRONT APPROACH)
1/2" = 1'-0"




2C ADA - TYPE A & B - BATH - NON-CONTROL SIDE
1/2" = 1'-0"




3C ADA - TYPE A & B - BATH - FRONT
1/2" = 1'-0"




4C ADA - TYPE A & B - BATH - CONTROLS SIDE
1/2" = 1'-0"




4C ADA - TYPE A - LAVATORY - PLAN
1/2" = 1'-0"




5B ADA - TYPE B - WATER CLOSET - FLOOR PLAN
1/2" = 1'-0"




4B ADA - TYPE B - LAVATORY - PLAN
1/2" = 1'-0"




3B ADA - TYPE B - WATER CLOSET - FRONT
1/2" = 1'-0"



4B ADA - TYPE B - WATER CLOSET - SIDE
1/2" = 1'-0"



4A ADA - TYPE A & B - SHOWER - BACK
1/2" = 1'-0"



5A ADA - TYPE A & B - SHOWER - SIDE
1/2" = 1'-0"

GENERAL NOTES:

- NOTE: PER IBC1210.2.2 WALLS AND PARTITIONS WITHIN 2 FEET (610MM) OF SERVICE SINKS, URINALS AND WATER CLOSETS SHALL HAVE A SMOOTH, HARD, NONABSORBENT SURFACE TO A HEIGHT OF NOT LESS THAN 4 FEET (1219 MM) ABOVE THE FLOOR, AND EXCEPT FOR STRUCTURAL ELEMENTS, THE MATERIAL USED IN SUCH WALLS SHALL BE OF A TYPE THAT IS NOT ADVERSELY AFFECTED BY MOISTURE
- THESE ADA CLEARANCES AND GRAB BAR BLOCKING ARE ONLY REQUIRED FOR THE 1ST FLOOR UNIT

openingdesign

Architect: OpeningDesign
17 S Fairchild | FL 7
Madison, WI 53703
ryan@openingdesign.com | 773.425.6456

Date	Description
05.19.2022	Progress Set